


STAR2800-L3



XX	S2800-L3	PC200	Web,Ftp
3		IP	172.16.22.8~172.16.22.15;
.	255.255.255.248	IP	6
172.16.22.9~172.16.22.14			

S2800-L3

1	S2800-L3	TAG VLAN	
2	VLAN	VLAN	UNTAG

1 S2800-L3

1 S2800-L3

VLAN3

192.168.2.0/24

<i>(G)TAG VLAN</i>	<i>TAG VLAN Configurations</i>	<i>(N)</i>
<i>Tag VLAN</i>	<i>Tag VLAN (1 - 1023):</i>	<i>VLAN</i>
<i>1,2,3,4</i>	<i>VLAN ID(1- 3072):</i>	<i>VLAN ID,</i>
<i>100,200,300,400. VLAN ID</i>		<i>Default VID</i>
<i>VLAN ID ,</i>	<i>:</i>	
=====		

```

(F)          :
(-)          :
(S)          :
(M)          :
(N)          : 10MH-10MF-100MH-100MF-
(-) /        :
(V) VID      : 1
=====
                                'TAB'          'Esc'
=====
(V)  VID,      Default VID      VLAN  VID.      ,      (I)
,          .          ESC      .[          Untag
,Default VID      VLAN.      TAG ,      TAG
,      TAG      .      TAG      DefaultVID      ]

2          ,          VLAN.      ,      VLAN
          ,      VLAN

      (R)IP      ,      IP      ,      (S)      :      ,
      .      (N)      ,      ,      (C)      ,
      (1-17):,      ,S2800-L3      17
      ,          .          :
=====
                                =====
(-)          : 6
(-)          : 00-D0-F8-F9-A9-23
(V) VLAN      0
(S)          :
(-)          :
(M)          :
(-) MTU      : 1500
(D) DHCP      :
(N)          :
=====
                                =====
                                'Esc'
=====

:
(V) VLAN ,      VLAN (      VLAN ,      VLAN VID)
      VLAN      .      (N)      ;      IP
      ,      :X.X.X.1,      VLAN      .
:
Net Interface NO.1  VLAN NO.1  Network Address:192.168.0.1 255.255.255.0
Net Interface NO.2  VLAN NO.2  Network Address: 192.168.1.1 255.255.255.0
Net Interface NO.3  VLAN NO.3  Network Address: 192.168.2.1 255.255.255.0
3          ,      ESC      IP ROUING      :

```

=====

IP

=====

=====

(S) :

(P)RIP

(N)

(R)

(T)IP TTL :64

(A)ARP ():10

=====

=====

'Esc'

=====

:

(R) , ,