



RG-IIB-N86KS



# 目录

---

安全使用说明事项.....	1
装箱清单.....	3
接口连接说明.....	3
面板按键说明.....	6
OPS电脑安装.....	7
遥控器.....	8
基本操作说明.....	8
产品	
软件升级.....	28
简单问题的处理方法.....	28
技术规格.....	29
产品中有毒有害物质或元素的名称及含量.....	30

# 安全使用说明事项

---

- 14.
15. >2.5cm >10cm >10cm
1. ---
2. ---
3. ---
4. ---
5. ---
- 6.
- 7.
- 8.
9. 24
- 10.
- 11.
12. (-20°C 60°C)  
(0°C 40°C)
- 13.
- 17.
- 19.
- 21.
- 22.
- 23.
24. è è
- 25.
- 26.
- 27.
- 28.
- 30.


32.

\*



36.

/

# 装箱清单



# 接口连接说明



# 接口连接说明

1



2



## ● AUDIO-IN



## ● TOUCH



◆ TOUCH USB

TOUCH USB

## ● HDMI-IN



◆ HDMI  
EDI D2.0  
HDMI 1

4K@60Hz, 5  
4K@60Hz 时  
<1s EDI D

EDI D



接HDMI1接口。

# 接口连接说明






---



# 面板按键说明



6

1. \_\_\_\_\_ ;
2.  : \_\_\_\_\_ ;
3.  : \_\_\_\_\_ ;
4.  : \_\_\_\_\_ ;
5.  : \_\_\_\_\_ ;
6.  .

窗；



# OPS电脑安装

---

CPS



CPS



CPS

CPS

CPS


,



CPS

CPS

。



# 遥控器

---

3.

4.

1.

2.

3.

4.

5. CPS

(1)



(0)

CPS

CPS

CPS

CPS

。


CPS  
CPS

CPS


CPS



CPS

CPS




QPS






- 1.
- 2.
- 3.
- 4.
- 5.

# 基本操作说明



- 1.
- 2.


30%-500%








1.



2.







- 1.
2. OPS                      OPS
3. HDM 1                    HDM 1
4. HDM 2                    HDM 2
- 5.
- 6.
- 7.
- 8.



# 基本操作说明




Wi-Fi  
SSID

SSID

SSID

SSID





2

6. DNS1


DNS

8.






- 1.
- 2.
- 3.
- 4.



1. 24
- 2.
- 3.
- 4.
- 5.

24

# 基本操作说明




◆ :按照如下  
(点 <math>< 1s</math>。

5次以上


# 基本操作说明


10999  
192.168.1.100:10999



IP 192.168.1.100  
ADB




OPS











- 1.
- 2.
- 3.




- 1.
- 2.
- 3.
- 4.
- 5.






- 1.
- 2.
- 3.
- 4.
- 5.



- 1.
- 2.

A/C




1.

2.

3.


4.

2 M4螺丝





1.





# 技术规格

	RG-IIB-N86KS
	AC 220V 50Hz/60Hz ( AC 100-240V 50Hz/60Hz)
	440W
	≤ 0.5W
	1
( × × )	4200mm× 1209.7mm× 110.5mm
× ×	1997mm× 1209.7mm× 110.5mm
× ×	1101.5mm× 1209.7mm× 110.5mm
	69kg
	20.6kg
	-20 -60
	10%-90% RH
	0 -40
	10%-90% RH
HDMI	2
LAN	2
AUDIO-IN	1
AUDIO-OUT	1
RS232(DB9)	1
USB 2.0	1
USB 3.0	3
USB TOUCH	1
USB Type-C	1

- 1.
- 2.

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...

...the ...



锐捷网络股份有限公司

福州市金山路

锐捷网络股份有限公司 技术支持: <http://www.ruijie.com.cn>