

RGOS 11.X

N18K & S86E & S78E

Contents

- ת 1 "Ω
- 1

ω OBJ 1 2 A 3 4 5 6 7 8 9

CLI 𐤀 𐤁 𐤂 𐤃 𐤄 𐤅 𐤆 𐤇

τ

γ

CLI J 1 n $\partial \frac{5}{8}$ V [OBJ]



CLI 5 1 ת א

γ τ κ γ CLI γ τ $\Omega^{\tau}\Omega$ γ τ γ $\dot{\tau}$ τ H
 γ

Console 1



Console 1
 Console
 RJ-45
 RS232
 COM
 USB
 DB-9
 USB-



Console

Console
 CRT
 9600
 SecureCRT
 1

Console 1 ת



ב ״Ω 5 |
ב ⬠ 4 ı ã * .
ב ב ã ״Ω ∂ [OBJ] 7
ג ב 4 ı ã * ג 7 [OBJ] 4 4 ã PC ã ג ג ״Ω ã

ב
ó~ 1 ב H 4 : ״Ω 4 □ 5 ״Ω

ó~ 2 ב ⬠ ' * ב ' 4 4 4 ' ב [OBJ] ב
⬠ 4 ♂ ó~

1



ע

ת 1


H

1 1 1

CRT

 $\omega^{\sim}$

CMII



2024年4月13日

6. 统计量 T_n 的分布函数 $F_n(t)$ 满足

1. $\log_{10} \frac{1}{1 - \frac{1}{1000000}} = \frac{0.69}{0.6931} \times \frac{1}{1000000} = 1.0 \times 10^{-6}$

SLIMAC: Volume generation was performed at 2014_03_05_00:23:57. (version: 11.0)

Ames, Conn. + C. McArthur Sec'd Rep.

Foot: east: None leading and on normal: va

[OK] Starting devices (ttya,ttyb)...

 H

4

3-4

 $\omega^{\sim}$

Press RETURN to get started



```
*Jul 21 17:24:27: %7: warning: default install package not exist. auto sync upgrade halt!
```

[illegible]

[Home](#) | [About Us](#) | [Contact Us](#) | [Privacy Policy](#) | [Terms & Conditions](#)

⁶

*30- 21 17:24:27: Say 5 Pages Report printing has completed.

Age Group	Percentage
18-24	10%
25-34	35%
35-44	25%
45-54	15%
55-64	10%
65-74	5%
75-84	2%
85+	1%

[illegible]

```

30  7-2-12 21K-3-1-Down: Interface Mgmt. 0, changed state to up,

```


DOI: 10.1002/eqe.2391

Press RETURN to get started

 $\tilde{\Omega}$

“ Enter ”


Console 1 π

[illegible]


Console 1 π



CLI



Console 1 2



1 2 1 2 ? 1/8 W H Y 1 [OBJ]

11.X [OBJ] CLI 1 A 10.X v Y 7 1 A

1 CLI 1

Ruijie#show version /show version slots / show cpu /show memory /show interface status /show ip route /show arp /show fan / show power /show temperature....

Ruijie#show run 1 1 ~ 1

Ruijie(config-if-GigabitEthernet 1/1)#show this // A 1 1 ~ 1 [OBJ] 1

Ruijie#wr // 1 1

Ruijie#ping 8.8.8.8 // Ping 1

Ruijie#traceroute 8.8.8.8 // traceroute 1

Ruijie#telnet 192.168.3.254 // telnet

Ruijie#debug ip icmp // 1 [OBJ] 1

ת 1 Telent י


ע י

Smart WEB ת

ע א

ת

ת WEB



ס
א
ת


ת

א

א

א

I ~ J



"Ω J [OBJ] ~ " İ J ~ İ "Y

⌘ 5 ă 6

N18000 ✓	"Ω	RGOS11.0(1b2) v	J
N18000 ✓	"Ω	RGOS11.0(1b2)	
à "Ω		J†	

Contents

- Ω 1 ת
- 1

I "Ω 1 Å |

U` x 1



show version detail ~ v system software number


1 show [OBJ] 1 x ~ " 0 1 4008)

1 x 0 0 U` :


1 x [OBJ]U` x "H[OBJ]USB i U` 5

U` " 0 H show usb ~ usb id, usb remove xx

U`



CMII "H 0 1 8G[OBJ]sandisk U`
CMII "H : J FLASH M (8G) JU



U` X 1



1 upgrade

Ruijie#dir usb0: ↑ ~ USB [OBJ] 1 ă ĩ

Ruijie#**upgrade** usb0:/xxxxx_install.bin xxxx_install.bin ĩ ü U` [OBJ] 1 ă

2 100% show upgrade status

```
N18000#show upgrade_status +  
[slot: M1]+  
dev type: ca-octeon-cm+  
status : upgrading+  
[slot: 1]+  
dev type: ca-octeon-lc+  
status : transmission
```

```
[Slot 1]: Upgrade processing is 100%+  
[slot: M1]+  
device name: ca-octeon-cm+  
Status: SUCCESS+  
[slot: 1]+  
Aug 12 02:07:30: %7: device name: ca-octeon-lc+  
Aug 12 02:07:30: %7: status: SUCCESS+
```

3 /FE 100% success (4-5
FLASH

reload


Ruijie

www.ruijie.com.cn

| U` λ 1



1



1

FTP Server

CMII

FLASH

USB0

CMII

FLASH

```
Ruijie(config)#ftp-server username admin
```

```
Ruijie(config)#ftp-server password ruijie
```

```
Ruijie(config)#ftp-server topdir usb0:/
```

```
Ruijie(config)#ftp-server timeout 300
```

```
Ruijie(config)#ftp-server enable
```


2 PC FTP Client FLASHFTP v v i FTP'O N18K
PC N18K OBJ ↘ ↗

3 1 PC 1 OBJ FTP 1 1 6 FTP Server

4 "E Upgrade"Y 1 [OBJ] l A | ä [OBJ] USB 1 A

FTP 1 A USB X [OBJ] ĩ ă A [OBJ] FTP ĩ ă ĩ FTP A Y
6 y 1 USB X ĩ 1 ă ' ì ÷ ū ū U`
[OBJ] 1 A | ĩ 1 [OBJ] ĩ ĩ Upgrade ă ~ A 1

1



- 1 PC → TFTP Server “Y” 1 ǎ [OBJ] PC N18K[OBJ] ↘ 1

2 N18K TFTP Client 1 Á | TFTP 1 Á , 1 ǎ ü USB
CMI CMII ´ ì ü FLASH

Ruijie#copy tftp://192.168.1.1/n18k_20140703_install.bin
usb0:/n18k_20140703_install.bin

3 “E Upgrade”Y 1 [OBJ] ℓ Á | ǎ [OBJ] USB 1 Á

TFTP 1 A USB κ [OBJ] ĩ ă A [OBJ] TFTP ĩ ă ȳ TFTP A ȳ
6
[OBJ] 1 A | ĩ ȳ [OBJ] ĩ ȳ Upgrade ă ȳ A ȳ

1 11.X ~~W~~ "H V I "H'Y • Ĩ BUG 7/8 ñ
 bug * ĩ ĩ Ä ĩ`H ∂ ≈ † [OBJ] 7
 2 " ☼ ¶ ĩ ↑ ĩ ĩ ≡ ũ ~ * † ũ
 ☼ ¶ ↑ [OBJ] ~ * ũ ũ

WEB 1

Web


Web

MSC-ED

l

1 web~

2 E - 1 - 1 1 - "Ov ă - E 1



5

‘O

- à Å www.ruijie.com.cn
- ă 6 www.ruijie.com.cn/service.aspx
- à ˆ ˆ ‘H ‘O support.ruijie.com.cn

Y ‘H ˜H‘Y

- ˆ ‘O webchat.ruijie.com.cn
- ‘H ˜H‘Y ˆ ˆ 4008-111-000