

copyright © 2022



-
-
-

1 Web

1.1 ~~IPGÄ~~

Web

Web

chrome


WEB




IF2920U

1.2

<u>WEB</u>	WEB
------------	-----



1. / admin/admin " "
2. " "
3. 4008111000
4. 5 10



1.3.2

Web

速率 (带宽利用率)	下行速率 (带宽利用率)	广播报文计数	单播报文计数	错帧	环路告警 (RSTP)	操作	端口介质	端口名称	链路状态	上行
发送: 26453175										
<input type="checkbox"/>	电口	GI0/1	UP	0 bps (0%)	0 bps (0%)	发送: 16040 接收: 0	89	发送: 0 接收: 511161988 83	发送: 0 接收: 1	正常
<input type="checkbox"/>	电口	GI0/2	DOWN	0 bps (0%)	0 bps (0%)	发送: 0 接收: 0	发送: 0 接收: 0	发送: 0 接收: 0	发送: 0 接收: 0	正常
							发送: 560	发送: 416756	发送: 0	

1.3.2.1

Web

1.3.2.2

Web

1.3.3

1.3.3.1


/

/


MAC

po

/



1.3.3.2



1.3.3.3 POE /ARP

MAC地址	端口	端口	POE开关设置	供电状态	供电功率	IP地址
00d0.f822.33b9	Gi0/2	Gi0/1	开启	关闭	0	172.29.15.1
		Gi0/2	开启	关闭	0	
		Gi0/3	开启	关闭	0	
		Gi0/4	开启	关闭	0	
		Gi0/5	开启	关闭	0	
		共 9 条				共 1 条

- POE

POE < > POE

- ARP


ARP < > ARP


1.3.4

1.3.4.1


1.3.4.1.1 .

1.3.4.1.1.1







1.3.4.2



-



_20220118182247.txt



1.3.5.2.3 Boot



boot

1.3.5.3

1.3.5.3.1

1.3.5.3.1.1




●

< > config.json



1.3.5.3.1.2



- < > < >
- < >

1.3.5.3.2

2-3





-

< >


-

< > config.json

1.3.6

1.3.6.1

1.3.6.1.1




```
Ruijie(diag)ping 192.168.193.1
Sending 5, ICMP Echoes to 192.168.193.1, timeout is 2000 milliseconds:
ping: rcv 192.168.193.1 1 ms
ping: rcv 192.168.193.1 0 ms
ping: rcv 192.168.193.1 1 ms
ping: rcv 192.168.193.1 0 ms
ping: rcv 192.168.193.1 0 ms
Success rate is 100 percent (5/5),round-trip min/avg/max = 0/0/1 ms
Ruijie(diag)#
```