

RG-Sounder100-G x| 0%

... 0



z Vid

z Et

z à



z iHà <https://www.ruijie.com.cn>

z iH4y <https://www.ruijie.com.cn/fw/>

z iHà 7*24h4y <https://ocs.ruijie.com.cn>

z iHà 7*24h4E 4008-111-000

z iH4E 4i:Æ <https://www.ruijie.com.cn/special/fw/tool/xryf/>

z iH4 Ø y 4008111000@ruijie.com.cn

z iH4E doc@ruijie.com.cn



iH4E



iH4E



4i:Æ APP

T,

1. P



PM- ož k h4y k k-
k ož

! Ae
pmH328*kgA.

! E
pmH328*8gF3

i B*D
p1H328*HD

✓ /(b7
b7B*D>

2. ý

ž

ž ož

Ù ¢

ù ^		1
1 hP%		1
2 DPÅ		1
2.1 DT		1
2.2 p		1
2.3 *E		2
3 N		3
4 Ð		4
4.1 n		4
4.2		

1

- !

Ae :
- !

M
- M
- M

!

- i

B*D
- 

!
- 

r

- (1)  ož
- (2) h  ož
- (3) 8  ož
- (4)  ož
- (5)  y  o  (yÑ)ož
- (6)  k  μ V† k  ož
- (7)  k  k  ož
- (8) 4  ož
- (9)  o  k P4ñ /ž k  .
– ož
- (10)  CDpž
- (11)  k9² 
- (12) h 

2 p

2.1 p

RG-Sounder100-G 6gÅ 6* 2 0©İ k 7A k 7A k 4 k 94K k KTVk 60h04h0pİ 0 ož

RG-Sounder100-G 94K k 94K k 7A 3×M8μ

Uo 50ž

2.2 p

- z J 2Q 3* 0ž
- z 6* 0ž
- z 0ž
- z 6gÅ 140x160pž
- z 80Hz-16kHz(-3dB)ož
- z 88dBk 120dB(Q) ož
- z 3×M8

2.3

图 2-1




3


ä

RG-Sounder100-G

3-1



3-2 ä..



! 註 :

-
- !

4

4.1

	RG-Sounder100-G
	2
	2~ 3"
	1x6"
	80Hz-16kHz(-3dB)
	88dB(1W@1m)
	114dB/120dB(PEAK)
	80W (RMS)
	160W (MUSIC)
	320W (PEAK)
	140q 160q

4.2

