

RG-PD15-PF

V1.5

2023-08-03

copyright © 2023

copyright © 2023



<http://www.ruijie.com.cn>

<http://www.ruijie.com.cn/fw/>

7*24h

<http://ocs.ruijie.com.cn>

3*24h 1.0784 GP #MCID 008/Eng 08DC 0 g86.6642095.17 444.43 0.479984549 G*QMC /P #MCID 112/eng (en-US


—— <http://www.ruijie.com.cn/special/fw/tool/xryf/>

4008111000@ruijie.com.cn

doc@ruijie.com.cn

APP

1.



2.

1

RG-PD15-PF

DC 12V

RG-IF2920U-

12GT1XS RG-MF2920U-4GT1MS



DC

RG-IF2920U-12GT1XS RG-MF2920U-4GT1MS

1.1 RG-PD15-PF

1.1.1

	RG-PD15-PF
	44-57VDC 0.4
	12VDC 1.25A
	≤14W
	0℃ 45℃ 0-1800m 1800~5000m 220m 1
	-40℃ 70℃
	10% 90% RH
	5% 95% RH
EMC	GB/T 9254.1
	GB 4943.1
× × mm	75*45*30.5mm
kg	0.13



2

2.1



-

RG-PD15-PF

2.2.4

RG-PD15-PF

IF2920/MF2920

- (1)
- (2)
- (3)

2.2.5 EMI

RG-PD15-PF

IF2920/MF2920

EMI EMI

EMI

- (1)
- (2)
- (3)

2.3

2-1



RG-PD15-PF

3

		
•	“	”
•		


3.1

- (1)
- (2)
- (3) 45mm 90mm

3.2

RG-PD15-PF	x1
	x1
	x1
M4x18	x2
	x2
	x1

3.3



3.4



- (1) / 2 RG-PD15-PF
- (2)