

Ø W

♂

î æ k

z ð

z ð ' k

z à

♂

z iH


<http://www.ruijie.com.cn>

z iH

А	P-Py 500Vz P-Shelly 1500V
И	100N
7'	176N Max.
В	14.5N Min.


1. Ø 450

D



2. d 450

D




3. Ø 450

D

główny

d



4.  

5.  

6.  

2 €

2.1 Ž

 A€€

-
-

2.1.1 Ž

z  Rgò  xi  Ž

z 4  Žež  yBx  ž Ćož

z GŃtDŃkGŃž

z 1,ŃLŃPwŃBŃZŃU@@ŃpPz

z x₀•/2%

ož

z xyg₀y

ož

3 cē

ē j.ūv.

kēñ.


đ Ĥ F D

›

ēē

đ

¢ 3-1 ēē



(3) ... 6 M4x8X $\overline{\text{A}}$ 1 2 L° ě ě ož

¢ 3-2 L Ě ě ¢

3.5 Ě ě G



*4EH@N8)G $\overline{\text{A}}$ Z $\overline{\text{A}}$ 7P

>

x 5â ò y

(1) Ě $\overline{\text{A}}$. Y 1 $\overline{\text{A}}$ ě z

(2) x $\overline{\text{A}}$ ož

¢ 3-3 Ě G ě ¢

3.6

x5â ò y


(1) @ 100

9~10mmz

(2) + Rô k 1° 0E %Nμ 0 + M k w ... %r-
MY z

(3) x 0 7Q k° 0E z

¢ 3-4 00 G i ¢




3.7 0

5â ò y


(1) G0 NM DP-IN10•DP-IN2Mz

(2) 1 DB78N000 DP-INM000 k g
- DB78N0ž



(3) 1 DB78N000 DB78NM DP-OUTM000 k g-
DB78N0ž

¢ ¢



4 mě

4.1 mě

4.2 mě

m 1u mě

ě

° ě měkě PDě DPBOXě AP6P° I ož

oě-

g 1h DB78Nč ě DP-INNMNČ z

g 2h DB78Nč Ň DP-OUTNMNČ

g 3h

g 4h PSEě DPBOXLč ě

ě z 3 DPBOX6P° Q lk áP ° ě ě z

g 5h PSEě N DPBOXk Lč ě ž z 3 DPBOX

6P° Q lk áPě ě ě z ož

