

î c â • ° 2.0

• g INC-EMB h • • $\frac{3}{4}$) Đ †

iH à ì aÄ',[
Í Ó ñ Ä • Ó • o

+ » y XXX	+ » y XXX k XXX
Ú Ê K y ™ ß k ^O6Û	p K y XXX

Ú ò ™ Ê y 2023.1.3


î c 9 2010 v 03 ã 16 ™ è y k R 7 +DXC@o•¾C@o• Wo• o•đªD^g Ĩ '

ò k 2022 vµ ¢ >c gª•h 500 #%ožĭ)¾) ĭ f G ¶ 8 Ê , à ĭ •• k }„

C â•° 2.0 • k¾) LIST _ 600 • «ož ĭ)à ĭ •• ¾)© XX ĭ â•°• c ĩ Û% Jª

¾) k¾) P# M Ý k¾) è +9 XX ĭ ¨ c g e Ò µ ¶ ° à ĭ ¾) Jª Ü ñ Ð Å• ož

2.1



£ 1 ¾)à ĭ " ÷

" ÷ T y

1o• p ¶ A E Ñ ... ¾)• Æ å RG-S7808C A E Ñ g Á• VSU h z

2o• p ¶ A E Ñ RG-S7808C û V RG-S6120 ° Z M ü A E Ñ 9 M ü _ µ â ° A E Ñ RG-
 SF2920 k ' š e è U ´ Å k M ü ñ p ¶ < F å € M ü ` z

30• Î) ¾) J INC O ò ~ INC-EMB

p 1 C	RG-S7808C	Ä à p 1 A E Ñ	HX g i > h
	RG-S6120-L	Ä à M ü A E Ñ	HJ

M ü C

RG-SF2920-16GT2MG2XS	SF2920_RGOS11.4(1)B81P1	N/A
RG-SF2920U-8GT1MS-P	SF2920U_1.0(1)B2_09200423	N/A

3.2 IP

3.2.1 & Vlan


■

3.4

3.4.1

10•Î)¾)... INC ÍÎ INC-EMB k¢ùÍÎY” S7808C A E Ñø ,•m • è¥

”k èe” S7808C A E Ñ WEB ¼µ Û¼ªP ò y



£ 3 S7808C WEB ¼µ Û¼

20•p¶A E Ñ F å VLAN 1 • Û)’ò VLAN kVLAN 328 • 3”’ò VLAN kã ð VLAN

200VLAN 21 F å SVIª-k• ’òª-< à¼ª- k S7808C WEB ¼µ g ò F å y



£ 4 ’òà<F å

F å èek S7808C A E Ñ k G VLAN 1 DHCPª-P F å y

```
ip dhcp pool vlan1
option E68scii http:// XXX.XX.XX.254:80/api/inc/cwmp/inform/ruijie_inc_acc_zcm
option 2258scii XXX.XX.XX.254:1883@ruijie_inc_acc_zcm
```

```

lease 0 0 30
network 172.16.9.0 255.255.255.0
default-router 172.16.9.254

```

1	VLAN	VLAN	SVI	WEB	SVI
	SVI	UP			
2		VLAN			

3.4.2

M ü RG-S6120-20XS4VS2QXS-L A E Ñ — Ô : F å K' è Â E * Å F å Ù Ñ Ñ % n , ¼ VLAN

/ U g VLAN 1o•VLAN 328 C ¿ U VLAN hož

3.4.3

SF2920o•SF2920U y

1 hî) ¾) „ C â ° N µ — Œ ° Z RG-SF2920-8GT2MG2XS•RG-SF2920-8GT2MG2XS-PoRG-

SF2920U-8GT1MS-Po•RG-SF2920-16GT2MG2XS k { # + F å % Í € M g M h f O ã ð 8 y 16 z

2 h ã ð — å Telnet/SSH Ů šo•SNMP Ů šo•î^a Web Ů š g U # H © Ĭ ó • Ů š ê • • Ů š h z

4 h v2

* 端口类型

Access

* VLAN ID

317

高级设置

MAC地址通告

开启

防环路

开启

风暴抑制开关

单播

多播

广播

端口隔离开关

开启

确定

对端口操作进行确认

£ 5 % Í F å

4.1

Î)¾) J å°AEÑ°Z SF2920 y SF2920U k ¿ SF2920U — Õ û Ô:k CS x³
 RGOS ©İk•B /'ò#‘J MQTT #' g³ U ©ç© CWMP #'h knÿC#‘Â9 TCPkfÎ
 %”K9Gb /Æf%°ku4x No•¶é‘to• ž*’^k#‘•%k +F^Få}Lzožâ° 2.0
 2920U ©çAEÑ©Få ¿viò y

STEP 1yâ°— Õ e kG DHCP ¬LkR DHCP Server B H ñ%²o¬'ò IPo-kw R•< DHCP
 Option 225 †ä MQTT Æ ~ª-g/ 3.4.1 - — Õ G DHCP Fåhk¥ Option k`
 k INC ©Få öœož

STEP 2yâ°— Õ†ä MQTT Æ ~ IP eGÜ N¬LkwÆf,¼ ÊkÆfè e INC €

broker k > N C Æ f è f îož

STEP 3 y â ° — Ō * MQTT # ' g INC G Ü ħ Ñ L k ħ ` k ĩ SN Ao • IP ^a - ^ ¼ p ' îož

STEP 4 y INC Æ ~ v ñ â ° — Ō N Ñ L e k Ž U ħ g A ; k G F åož

STEP 5 y â ° — Ō N v F å e 1 Mok Moe M • INC Æ ~ • y N w 4 Ò ' t k 4 ž INC
k } L — Ō n F å † ^ g û à k * e ... ħ i è k 4 e â ° — Ō ? 2 ã U k g INC G %²)
' t †ož

4.2 /

â ° N µ — Ō " MQTT Ñ L g ³ U © ç © CWMP † h y ' t ž LLDP ' Î
g û M ü > D C € M ' Î h INC Æ ~ ož

STEP 1 y † — Ō G ŷ Á E ž k > — Ō û ħ N ñ • — Ō k • — Ō k v □ LLDP ' Î k w 1 ¥ ' Î *
MQTT † G Ě Æ ~ z

STEP 2 y v ñ A E Ñ † e k INC Æ ~ y ñ ñ Ñ M ü € M + M ü mac + — Ō SN ' Î g ¥ ¾ J
• — Ō SN ho - Ç ¼ © G ŷ 4 J k 4 ž Æ ~ é • — Ō G ŷ Á E z
STEP 3 y • ÷ g Á E v i g h b y Æ ~ ¹ ' " £ Ñ } Ä > — Ō " £ h k • — Ō k c 5 > — Ō
F å k • — Ō ¹ ' " £ k 1 > — Ō ¹ ' " £ ~ \$ z

{ ž — Ō N Ä Ä € k 1 ħ û ħ # ß w N ñ • — Ō g • — Ō U Y © Ì ħ ¶ • —
Ō o • - U Y ©] ¹ ' — Ō h k " • — Ō Á E è e k 1 { ž — Ō Ä € • — Ō g ` Þ ³ ° M Ä €
h k € M F å Ü š \$ g z

STEP 1 y TM o g k INC Æ ~ k J □ / " £ ¶ à â • ° A E Ñ ' b Ñ MAC ^a - + ñ K — Ō
+ ñ K € Mo - k w 1 ħ € M F å ¼ û z

STEP 2 y G ŷ — Ō Á E e k †] t " £ MAC ^a - ß è " • — Ō € M ž k INC Æ ~ k 1 ¥

